



Portable Hydrogen Ammonia Methane NO2 pH3 O2 CO H2S Gas Detector for Industrial Safety

Our Product Introduction

for more products please visit us on multi-gasdetection.com

Basic Information

- Minimum Order Quantity: 1PC
- Stock: 1PC



Product Specification

- Working Voltage: 3.7V Rechargeable Lithium Battery
- Weight: Approx. 300g
- Alarm Type: Vibration Alarm With Light, Sound
- Sensor Life: 2-5 Years
- Explosion-Proof Grade: Exdib IIC T3
- Sampling: Pump/Diffusion
- Accessories: Detection Probe&Rubber Protection Case
- Transport Package: Carton
- Specification: 133x70x36mm
- Trademark: KELISAIKE Or OEM
- Origin: Nanjing, China
- HS Code: 8531100000
- Supply Ability: 1000PCS
- Brand: Kelisaike
- Customized: Customized



More Images



Product Description

Portable Hydrogen Ammonia Methane No2 Ph3 O2 Co H2S 4 Multi Gas Monitor Meter Tester Measurement Analyzer Detector



The K60-IV is a full-featured, compact, one- to four-sensor gas detector for oxygen, combustibles, hydrogen sulfide, carbon monoxide or sulfur dioxide. Key features include easy-to-operate design, a water-resistant case and high sensitivity sensors

[» Product Detail](#)

K60-V Portable Multi Gas Detector



UK sensors (brands CITY, Alphasense, Dynamant etc.), US (brand Honeywell), Japanese and German sensors, ensuring high



stability& sensitivity

CE/ ATEX approved. Gas detectors are approved under the ATEX directive.



- **IP66 Ingress Protection:** compact and durable body design, wider application environments
- **Optional sampling pump:** built-in pump or compatible with handy pump unit for confined space gases detection
- **Data Logger Function:** alarm history record can be uploaded to PC
- **Applicable in harsh environments:** -4 °F to 122°F (-20°C – +50°C), 0 – 95% RH, non-condensing (anti-splash)

Ultra-strong battery: 3.7 V rechargeable lithium battery (equipped with a charger) for over 10 hours continuous operation.



- **High response speed:** Specially designed main board for industrial use; 10+ years professional engineering team for technical solutions
- **OBM/ ODM/ OEM service:** with 14 years experience, specializing in gas detectors.

>>>Key Features

- 1) Light weight and small size design(less than 300g), easy to operate
- 2) Excellent built-in vibration alert for use in areas of high ambient noise applications
- 3) 90dB audible vibration alarm
- 4) Strong, protective, concussion-proof shockproof design for normal working in harsh environments
- 5) Easy access to pump, sensors, filter and battery compartment without exposing electronic components to potential damage
- 6) Rechargeable lithium battery for over 10 hours continuously operation

- 7) Intuitive simple-to-operate four-button
- 8) User interface with built-in pump
- 9) 2+2 digits LCD real time displays gas concentration and corresponding gas types
- 10) Full featured self-test:sensors, lithium battery, circuite integrity and acousto optic vibration alarm function
- 11) Accessories:operator's manual, calibration hose, charger and conversion plug
- 12) CERTIFICATIONS: CMC,Ex,MA (SAFETY CERTIFICATE OF APPROVAL FOR COAL MINING PRODUCTS IN CHINA)

>>>Technical Specification

Dimension	133 L×70 W×36 H mm
Weight	Approx. 300g
Sampling	Pump, diffusion
Working Temperature	- 10 °C ~ + 44 °C
Relative Humidity	15%~90% RH (non-condensing)
Power	3.7V rechargeable lithium battery, continuously work for over 10 hours
Sensor Life	One year for combustible gas sensor; two years for oxygen and toxic gases sensors
Display	LCD display
Alarm Mode	Acousto optic alarm
Explosion-proof Grade	ExibIIC T3
Warranty	1 year

GAS TYPE	DETECTION RANGE	RESOLUTION	RESPONSE TIME
O2	0-30%Vol	0.1%Vol	T90≤15s
LEL gas	0-100%LEL	0.1%LEL	T90≤5s
CO	0-1999ppm	1ppm	T90≤25s
H2S	0-100ppm	0.1ppm	T90≤30s

>>> Our Services

- 1.For all our customers, our products have 1 year warranty, and life-long maintenance.
- 2.All inquiries will be replied in 24 hours.
- 3.Providing technical support, professional engineers are specialized in dealing with gas monitoring problems you met.
4. OEM and ODM service are welcome
- 5.KELISAIKE plant is located in Nanjing, only 1 hour by high speedtrain from Shanghai. Welcome to visit the factory.
- 6.All products are well tested and packed before shipment; the certificate of inspection will be provided.

If you are interested in our products, please feel free to contact me. Thank you!



COMPANY
APPEARANCE

THE OFFICE
MEETING



WORKSHOP
INSTRUMENT

- Nanjing Kelisaike Safety Equipment Co., Ltd. founded in 2004, Nanjing Kelisaike has three subsidiaries in Beijing, Xi'an and Xinjiang province, and over 30 domestic sales service centers.
- Standard products include the K60 series portable single gas detectors, K60-IV series multi gas detectors, K800 series fixed gas transmitters, K500 series wall-mounted gas detectors, K1000 series gas detector control panel units, KL99 series air breathing apparatuses, etc.
- Nanjing Kelisaike is also a factory with rich experience in OEM service, providing professional design and manufacturing of customized products.



NanJing Kelisaike Safety Equipment Co., Ltd.



+86 25 8719 3262



manager@njklsk.cn



multi-gasdetection.com

Bldg 12, 2 Qingshuiting West Road, Nanjing, Jiangsu, China, 211102