K1000-32/16 Gas Sensor Host Controller with Wireless Receiving and Customization

Our Product Introduction

for more products please visit us on multi-gasdetection.com

Basic Information

- Minimum Order Quantity: 1PC
- Stock: 1PC

Product Specification

- Model NO.:   K1000-32/16
- Interface: RS485 Communication
- Electric Control Device: Solid Relay Output
- Input Signal: 4-20mA
- Voltage: 220V AC/50-60Hz
- Display: LED
- Power Supply For Detector: 24V DC
- Waranty: 1 Year
- Transport Package: Carton
- Specification: 510*380*110(mm)for 16 Channels
- Trademark: KELISAIKE
- Origin: Nanjing, China
- HS Code: 8531100000
- Supply Ability: 100PCS Per Month
- Brand: Kelisaike

More Images

Product Description

32/16 Channels Toxic and Combustible Gas Concentration Alarm Host Control Panel with wireless receiving

>>>Key Features

1)Accepts up to 32/16 inputs ,either 4-20mA or ModBus transmitters
2)Internal power supply provides DC 24V and generates 15 watts total system power;optial 150 watts supply.
3)ModBus RS485 serial ports have simutaneous master/slave operation
4)Two independent alarm levels per channels feature 'Relay Acknowledge' and could control the external audible devices when it is up to the alarm value.
5)Standard common alarm relays for HORN and WARN
6)Wall-mounted installation
7)Graphic LCD display with backlight displays real time data and engineering units.
8)Backup power supply: over 2 hours
9)Respones time less than 2 seconds
10)Circle detection will show real-time data(around 1-2 seconds show per channel)
11)Programmable alarm operation value, low or high level alarm indication.

>>>Technical Specifications

Working Method:	Automatic Patrol
Alarm Level:	Two levels' alarm. Users can set it.
Input signal:	4-20mA
Measurement Accuracy:	0.1%(F.S)
Communication Interface:	RS485
Working Voltage:	AC 220V/50-60Hz
Capacity of System:	32/16 Channels
Display Method:	Multi-passage concentration real-time LED highlight display
Display Error:	<0.5%
Ambient Humidity:	10%-90% RH (non-condensing)
Ambient Temperature:	-10 ºC ~55 ºC
Weight:	3.0kgs
Installation:	Wall-mounted and Horizontal
Units:	%LEL/ppm
Dimension:	510*380*110(mm) for 16 channels, and its backup power is 275*235*75(mm)
Communication Distance:	Less than 1200m

>>>Why choose KELISAIKE?

1. All our products has 1 year warranty and life-long maintenance.
2. All inquiries will be replied in 24 hours.
3. We will provide technical support,and our engineers will help to solve the problems you met.
4. We can provide OEM and ODM service.
5. Our factory is located in Nanjing city.welcome to visit our factory.
6. All products will be fully checked and well packed before shipment, and qualification certificate will be provided.

>>>Company information

Nanjing Kelisaike Safety Equipment Co., Ltd., with our headquarters located in Nanjing, is one of the most professional gas detector manufacturers in China. Established in 2004, we have always been engaged in researching, developing and bringing people advanced equipment with good quality. Through 10 years' efforts, our company has successfully grown into a powerful enterprise with advanced technology, modern equipment, solid finance and talents. So far, we have three subsidiaries in Beijing, Xi'an and Xinjiang. Our company has established business relationships with many renowned enterprises in China.

Kelisaike has put much emphasis on developing new technology and new products with intellectual property and patents. Our full product portfolio includes: K60 series portable gas detector, K800 series fixed gas detector transmitter, K500 series wall-mounted gas detector, K1000 series gas detector controller, K-1Ax gas detecting control system, KL99 positive pressure air breathing apparatus, etc.

Nanjing Kelisaike has passed ISO9001 International Quality System Certification, which ensures all products have excellent performance and competitive prices.

KELISAIKE Faith
People-oriented and technology-innovated
KELISAIKE Principle
Quality first, integrity-based

» Our Exhibition

Nanjing Kelisaike Safety Equipment Co., Ltd.

📞 +86 25 8719 3262   ✉ manager@njklsk.cn   🌐 multi-gasdetection.com

Bldg 12, 2 Qingshuiting West Road, Nanjing, Jiangsu, China, 211102