




## LCD Display Fixed Gas Detector Controller 30V DC With Infrared K800-Da

### Our Product Introduction

for more products please visit us on [multi-gasdetection.com](http://multi-gasdetection.com)

#### Basic Information

- Minimum Order Quantity: 1PC
- Stock: 1PC



#### Product Specification

- Alarm Settings: High And Low Alarm Values
- Contact Capacity: 5A 250V AC/5A 30V DC
- Display: LCD Display
- Sampling Rate: <0.1s/Channel
- Communication Mode: RS-485
- Communication Range: No Reply<1200m
- Communication Medium: STP
- Transport Package: Carton
- Specification: 3.0kg
- Trademark: KELISAIKE Or OEM
- Origin: Nanjing, China
- HS Code: 8531100000
- Supply Ability: 100PCS Per Month
- Customized: Non-Customized
- Portable: Non Portable



#### More Images



Product Description

## 4-20mA output fixed ammonia gas detector with infrared remote control




Nanjing KELISAKE Safety Equipment Co., Ltd.



**>>>Features:**

1. Advanced MPU technology
2. Multi-channels capacity of system: 4,8 and 16channels are available
3. Work in patrol type
4. 2 or 3 BUS signal outputs, Can provide 24V power for the transmitter
5. Multi-channels real-time concentration display circularly and show real-time data(around 1-2 seconds show one channel)
6. Bright LED display
7. Receive any transmitter output signal of 4-20mA
8. RS485 Industrial field BUS
9. Programmable alarm operation value, low or high level alarm indication.
10. Responses time less than 2 seconds
11. Backup power supply: over 2 hours
12. Output Power: DC 24V/2.5A (Can provide power for many transmitters)



#### >>>Specifications:

Working Method:	Automatic Patrol
Alarm Level:	two levels' alarm. Users can set it.
Input signal:	4-20mA
Measurement Accuracy:	0.1%(F.S)
Zero drift:	$\leq\pm2\%$ (F.S)/6h
Stability:	Span drift: $\leq\pm5\%$ (F.S)/6h
Communication Interface:	RS485
Working Voltage:	AC 220V/50-60Hz
Capacity of System:	4, 8 or 16 Channels
Display Method:	Multi-passage concentration real-time display
Display Error:	<0.5%
Ambient Humidity:	10%-90% RH (non-condensing)
Ambient Temperature:	0-70°C
Weight:	3.0kgs

#### Company information:



**Nanjing Kelisaike** Safety Equipment Co., Ltd., with our headquarters located in Nanjing, is one of the most professional gas detector manufacturers in China. Established in 2004, we have always been engaged in researching, developing and bringing people advanced equipment with good quality. Through 10 years' efforts, our company has successfully grown into a powerful enterprise with advanced technology, modern equipment, solid finance and talents. So far, we have three subsidiaries in Beijing, Xi'an and Xinjiang. Our company has established business relationships with many renowned enterprises in China.

Kelisaike has put much emphasis on developing new technology and new products with intellectual property and patents. Our full product portfolio includes: K60 series portable gas detector, K800 series fixed gas detector transmitter, K500 series wall-mounted gas detector, K1000 series gas detector controller, K-1Ax gas detecting control system, KL99 positive pressure air breathing apparatus, etc.

Nanjing Kelisaike has passed ISO9001 International Quality System Certification, which ensures all products have excellent performance.



**Nanjing Kelisaike Safety Equipment Co., Ltd.**



+86 25 8719 3262



manager@njklsk.cn



multi-gasdetection.com

Bldg 12, 2 Qingshuiting West Road, Nanjing, Jiangsu, China, 211102