



K500 Explosion Proof Gas Analyzer CO Detection For Industrial Applications

Our Product Introduction

for more products please visit us on multi-gasdetection.com

Basic Information

- Minimum Order Quantity: 1PC
- Stock: 1PC



Product Specification

- Model NO.: K500
- Gas: CO
- Type: Electrochemical Gas Analyzer
- HS Code: 90200000
- After-sales Service: Lifelong Maintenance
- Warranty: 1 Year
- Brand: KelisaIKE
- Customized: Customized
- Portable: Non Portable
- Certification: CE
- Samples: US\$ 300/Piece 1 Piece(Min.Order) | Request Sa
- Customization: Available | Customized Request
- Highlight: **K500 Explosion Proof Gas Analyzer, CO Explosion Proof Gas Analyzer, CO Sensit Gas Detector**



More Images



Product Description

K500 Fixed Industrial Gas Leak Detector ozone/H2/CO/CH4

Product Description

K500 series wall-mount gas detector is a device with long service life, adopting high sensitivity imported sensors and the explosion proof design. The wall mount gas detector operates as part of an integrated system (with 4-20mA output analog) or as a stand-alone system only. 2 discrete alarm levels (high level & low level), audible and visual alarm.



K500 Wall-mounted Gas Detector

K500 series wall-mounted gas detector is a device with long service life, adopting high sensitivity imported sensors and the explosion proof design. The wall-mounted gas detector operates as parts of an integrated system (with 4-20mA output analog) or as a stand-alone system only. 2 discrete alarm levels (high level & low level), audible and visual alarm.

Key Features

- 1)High sensitivity world famous imported sensors
- 2)Bright, red flashing visible alarm and loud 90dB audible alarm on the spot
- 3)Waterproof and dust-proof design for normal and continuous working in harsh environments
- 4)Compatible with DCS(Distributed Control System)
- 5)Flameproof body design acc. to IEC61508,simple and easy installation and maintenance
- 6)Programmable alarm operation value, low or high level alarm indication
- 7)220V AC or 24V DC power supply, 4-20mA output analog, three core shield cable, DCS system
- 8) Color screen 2+2 digits LCD display presenting real time gas concentration data and corresponding gas types;
- 9) Full featured self-test: sensors, lithium battery, circute integrity and acousto optic vibration alarm function;
- 10) Accessories: operator's manual, detection probe, calibration hose, USB cable, charger and conversion plug;
- 11) CERTIFICATIONS: CMC,Ex,MA (SAFETY CERTIFICATE OF APPROVAL FOR COAL MINING PRODUCTS IN CHINA)

Certificates



防爆合格证

CERTIFICATE OF CONFORMITY
No. CJEx20.0165

制造单位
Manufacturer: 南京科力赛克安全设备有限公司
(江苏省南京市江宁区高淳路9号)

样品名称
Name of Product: 防爆单点壁挂式气体检测报警仪

型号规格
Type of Product: K500 AC220V

防爆标志
Marking: Ex d IIB T6 Gb

产品标准
Product Standard: Q/3201 KLSK 06-2019

总装图号
Drawing No.: K500-01

经对上述产品图样及技术文件的审查和样品检验，确认符合下列标准：
After examination of product drawings and technical documents and testing of sample, the product is in accordance with the following standards:

GB 3836.1-2010 《爆炸性环境 第1部分：设备 通用要求》

GB 3836.2-2010 《爆炸性环境 第2部分：由隔爆外壳“d”保护的设备》

说明事项 1、防护等级 IP65(不包括传感器和防爆声光报警器)。

Explanation 2、使用屈服强度≥640MPa的紧固件。

本证有效期至 2025年2月27日
Valid Date

批准
Approved by

机械工业防爆电气设备质量监督检测中心
Machine-Building Industry Quality Supervision & Testing
Centre of Explosion-Proof Electrical Apparatus

2020年2月28日

佳木斯防爆电机研究所
JAMUS EXPLOSION-PROOF ELECTRIC MACHINE INSTITUTE

地址: 黑龙江省佳木斯市安庆街3号
电话: 0454-8326353
传真: 0454-8311260
网址: www.jemx.net



注: 本证书仅对与认可文件和样品一致的产品有效, 登录网站或扫描二维码查询真伪。



中华人民共和国 计量器具型式批准证书

南京科力赛克安全设备有限公司

根据中华人民共和国计量法第十三条和中华人民共和国计量法实施细则有关规定, 对你单位申请型式批准的计量器具新产品经审查合格, 现予批准, 并可使用以下标志和编号:

PA
2009C249-32

批准人:

经批准的计量器具新产品(名称、型号):

1、 单点壁挂式一氧化碳检测报警仪
型号: K500-CO 规格: (0~1000) ×10-6
准确度: ±5%FS

2、 单点壁挂式可燃气体检测报警仪
型号: K500-EX 规格: (0~100) %LEL
准确度: ±5%FS

以下空白

发证日期: 二〇一〇年二月八日
发证机关(盖章)

Product Parameters

Item:	Gas leak detector
Model NO.:	K500 gas leak detector
Sensors:	High sensitivity imported sensors
Sensor service life:	2-5 years
Operating voltage:	220V AC/24V DC
Display:	4 digital LED display
Alarm buzzer:	90db
Alarm mode:	Acousto optic alarm
Ambient temperature:	- 20 ° C ~ + 50 ° C/- 50 ° C ~ + 50 ° C
Relative humidity:	15~90%RH(non condensation)
Material:	Aluminum alloy and stainless steel
Detecting method:	Diffusion
Dimension(mm):	160(L)*126(W)*78 (H)mm
Explosion-proof grade:	ExdII CT6
Weight :	K500-D: 3.5kg K500- N:3.0kg
Package:	Carton
Pcs/ctn:	1pc/ctn
Ctn size:	260x230x140mm
Payment terms:	T/T
Warranty:	1 year

Company Information

» About Us



COMPANY APPEARANCE

THE OFFICE MEETING



WORKSHOP INSTRUMENT

- Nanjing KelisaIKE Safety Equipment Co., Ltd. founded in 2004, Nanjing KelisaIKE has three subsidiaries in Beijing, Xi'an and Xinjiang province, and over 30 domestic sales service centers.
- Standard products include the K60 series portable single gas detectors, K60-IV series multi gas detectors, K800 series fixed gas transmitters, K500 series wall-mounted gas detectors, K1000 series gas detector control panel units, KL99 series air breathing apparatuses, etc.
- Nanjing KelisaIKE is also a factory with rich experience in OEM service, providing professional design and manufacturing of customized products.

» Our Exhibition



» Our Certificates



We have obtained **CE, ISO** and other international certificates
for different market requirements.



Nanjing Kelisaike Safety Equipment Co., Ltd.



+86 25 8719 3262



manager@njklsk.cn



multi-gasdetection.com

Bldg 12, 2 Qingshuiting West Road, Nanjing, Jiangsu, China, 211102