

Cylinder 2L Lightweight Emergency Breathing Apparatus 30min For Compressed Air

Our Product Introduction

for more products please visit us on multi-gasdetection.com

Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: KELISAIKE
- Model Number: KL99
- Minimum Order Quantity: 1PC
- Price: \$370.00/sets >=2 sets
- Packaging Details: Inside package is black plastic carton, outside package is paper carton.
- Stock: 1PC
- Supply Ability: 300 Set/Sets per Month



Product Specification

- Cylinder Vol.: 2L/3L
- Gas: Compressed Air
- Working Pressure: 30 MPa
- Cylinder Material: Carbon Fiber Composites
- Service Time: 15-30min
- Certificate: CE:EN137
- Port: Nanjing
- Highlight: 2L Emergency Breathing Apparatus, Lightweight Emergency Breathing Apparatus, 30min SCBA Breathing Apparatus



More Images



Product Description

Product Description

Key Features:

Light and convenient for operation

Demand type; can be reused

Y-type design; cylinder valve with gauge; normal pressure indication

Prevent accident from occurring during emergency escape and keep sufficient air supply

Carbon fiber air cylinder; working pressure: 30MPa; 2L/3L- air cylinder is optional

PG-S pressure Gauge can make the storage volume in the bottle read clearly under a complex and dark environment.

It can be carried by shoulders, which can make the hands perform

other protection operation for escape.

Not affected by dense smoke and external severe environment.

The service time is 15-25 min, which can make relevant personnel quickly evacuate from the dangerous environment

Safe and reliable; it is a kind of important escape unit used in dangerous environment

KL99- EEBD



Communication Mask (Optional)

- It has sleep function, with voice activation, which can save power.
- The directional loudspeaker ensures the loudest sound is directed to the user;
- It is compatible with various brands interphones, covering almost all wireless digital or analogue interphones;
- It is water proof, explosion proof, temperature resistant and acid and alkali resistant.



2 L/3 L Carbon Fiber Cylinder

- 2 L/3 L carbon fiber wrapped composite cylinder.
- The inner tank is made of high strength, anti-corrosion treated, lightweight aluminum alloy. The nominal working pressure is 30 MPa, the pressure for water pressure test is



50 MPa, and the burst pressure is 102 MPa. The cylinder has the safety performance inspection certificate.

Cylinder Valve

- It is made of transparent shatterproof glass, and the pressure meter is oil free;
- The pressure meter is embedded in the cylinder valve. It displays the real-time pressure in the cylinder no matter whether the cylinder valve is open or closed, which can help the user to know the remaining amount of air.



Emergency Escape Bag

- Made of flame resistant material, the structure makes it easy for taking out the mask and checking the pressure meter.
- It is used for storing and carrying the pull-pin type EEBD. The zipper of the bag is connected with the pressure reducer; when unzipping, the pull-pin type EEBD will be open.

EEBD



- 1. These are only used for escape from a compartment with a hazardous atmosphere, providing personnel breathing protection.
- 2. Not be used for fighting fire, entering oxygen deficient voids or tanks, or worn by fire fighters.
- 3. There is a pressure gauge on the cylinder indicating the cylinder pressure. the cylinder pressure of EEBD is not indicated by a pressure gauge during storage.
- 4. The hood is a flame resistant head cover which completely covers the head, neck, and may cover portions of the shoulders, with a transparent window.
- 5. Easy to use: open the cylinder valve and put the hood on head when in use.
- 6. The new type escape device has a new function of alarm whistle, at the same price. The alarm whistle is to remind people to quit the working environment and avoid danger when the gas storage volume is insufficient. When the cylinder pressure reaches 5 ± 0.5 MPa, the alarm whistle will send out an alarm sound.

Packaging & Shipping



PACKAGING & DELIVERY

Delivery Time
7-10 days after payment



packing interior:
good quality plastic case

Dim:76*28*52mm
G.W:27KG

Our Services



THE FACTORY

Nanjing KELISAIKE has passed ISO9001 International Quality System Certification, which ensures all products' excellent performance and competitive prices.



Company Information

PRODUCT SHOW >



KL99-SCBA Self-contained
Air Breathing Apparatus



KL99-SABA Airline
Supplied air Breathing Device



KL99 SCBA with HBCS
skull communication system



KL99-EEBD Emergency
Escape Breathing Device



KL99-FBCAR Technical
Rescue Air Cart



KL99-LT Electric Long
Tube Supplied Air Respirator

MORE PRODUCT !

click to view



ABOUT US

Nanjing KELISAIKE company is one of the largest safety equipment manufactures, possessing the most complete production range and specifications in the safety equipment industry of mainland China. Nanjing KELISAIKE was founded in 2004, including three subsidiaries in Beijing, Xi'an and Xinjiang, and more than 30 domestic sales service centers, with total registered capital CNY 10.16 million. Standard products and services cover the portable gas detector, fixed gas transmitter, wall-mounted gas detector, gas detector control unit, air breathing apparatus, online gas emission monitoring systems etc.



Nanjing Kelisaike Safety Equipment Co., Ltd.



+86 25 8719 3262



manager@njklsk.cn



multi-gasdetection.com

Bldg 12, 2 Qingshuiting West Road, Nanjing, Jiangsu, China, 211102