



## Customized Portable Hydrogen Gas Detector K60IV OEM With LCD Display

### Our Product Introduction

#### Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: KELISAIKE
- Model Number: K60, K60IV gas detector
- Minimum Order Quantity: 1PC
- Price: \$400.00/sets 1-49 sets
- Packaging Details: Each gas detector wireless vibrate detector alarm will be packed with the export standard carton package or aluminum box or as per customer require
- Stock: 1PC



for more products please visit us on [multi-gasdetection.com](http://multi-gasdetection.com)

#### Product Specification

- Warranty: 1year
- Customized Support: OEM
- Battery: Lithium Battery
- Detection Of Gas: Combustible And Toxic Gases
- Alarm System: Vibration Alarm With Light,sound
- Explosion-proof Grade: Exibd II CT3
- Display: LCD Display Gas Detector
- Sensor Life: 2 Years
- Weight: 120g Gas Detector
- Certificate: CE
- OEM: Yes
- Highlight: Customized Portable Hydrogen Gas Detector, K60IV Portable Hydrogen Gas Detector, LCD Display Hand Held Gas Detector



#### More Images



### Product Description

## Factory Supply K60IV multi gas leak detector HCl, Co, CO2, O2



### Product Description

The K60-IV is a full-featured, compact, up to five sensor gas detector for oxygen, combustibles, hydrogen sulfide, carbon monoxide, sulfur dioxide.(gas types can be optional customized based on clients' requests). Key features include easy-to-operate design, easy to identify color screen 4 digits LCD display, historic data storage, a water-resistant case and high sensitivity sensors.

### Key Features

- 1) Light weight and small size design( $\leq 300g$ ), easy to operate;
- 2) Excellent built-in 90dB audible vibration alert for use in areas of high ambient noiseapplications;
- 3) Strong, protective, concussion-proof shockproof design for normal working inharsh environments;
- 4) Easy access to pump, sensors, filter and battery compartment without exposingelectronic components to potential damage;
- 5) Rechargeable lithium battery for 8+ hours continuously operation;
- 6) Intuitive simple-to-operate four-button;
- 7) With built-in pump or with compatible pump
- 8) Color screen 2+2 digits LCD display presenting real time gas concentration dataand corresponding gas types;
- 9) Full featured self-test: sensors, lithium battery, circute integrity and Triple alarms(audible, visual, vibrating);
- 10) Accessories: operator's manual, detection probe, calibration hose, USB cable, charger and conversion plug;
- 11) CERTIFICATIONS: CE, CMC, Ex, MA

### Product Parameters

Item	Portable multi gas detector
Model No	K60IV
Sensors	High sensitivity imported sensors
Sensor service life	1year for oxygen&LEL sensor, 2 years for toxic sensor
Operating voltage	3.7 V lithium battery
Display	LCD display
Alarm buzzer	90db

<b>Alarm mode</b>	Acousto optic alarm
<b>Ambient Temperature</b>	- 20 ° C ~ + 50 ° C
<b>Relative humidity</b>	15~90%RH(non condensation)
<b>Material</b>	ABS, slip silicone
<b>Detecting method</b>	Diffusion
<b>Demension(mm)</b>	109×56×38mm
<b>Explosion-proof garde</b>	ExdII CT3
<b>Weight</b>	120g
<b>Package</b>	Carton
<b>Pcs/ctn</b>	1pc/ctn
<b>Ctn size</b>	150x105x47mm
<b>Payment terms</b>	T/T
<b>Warranty</b>	1 year

#### Measurable Gas Meter

**Mark: other customized gas types are also available.**

Gas Types	Detection range	Response Time	Resolution	Alarm Values
CO	0-25%vol/30%vol	T90≤20s	0.1%vol	18.0%vol/23.0%vol
H <sub>2</sub> S	0-100%LEL	T90≤30s	1%LEL	25.0%LEL/50.0%LEL
SO <sub>2</sub>	0-1000 ppm/2000ppm	T90≤30s	1 ppm	50ppm/100ppm
Cl <sub>2</sub>	0-200 ppm	T90≤30s	0.1 ppm	10ppm/20ppm
NH <sub>3</sub>	0-200ppm	T90≤30s	0.1 ppm	2 ppm /10 ppm
NO <sub>2</sub>	0-20 ppm	T90≤30s	0.1 ppm	1 ppm /10 ppm
NO	0-100ppm/2000ppm	T90≤50s	1 ppm	25 ppm /50 ppm
O <sub>3</sub>	0-200ppm	T90≤25s	0.1 ppm	3 ppm /10 ppm
PH <sub>3</sub>	0-1000 ppm	T90≤50s	1 ppm	25 ppm /50 ppm
H <sub>2</sub>	0-5ppm/20ppm	T90≤30s	0.1ppm	0.3ppm/5ppm
HF	0-10ppm	T90≤60s	0.1ppm	0.3ppm/5ppm
HCL	0-2000ppm/4%vol	T90≤50s	1 ppm	50ppm /100ppm
HCN	0-10ppm	T90≤50s	0.1ppm	3ppm /10ppm
CH <sub>4</sub> (IR)	0-30ppm/200ppm	T90≤50s	0.1 ppm	5ppm /10ppm
VOCs	0-200ppm	T90≤200s	0.1ppm	10 ppm /20 ppm
CO <sub>2</sub> (IR)	0-5.00%vol	T90≤60s	0.01%vol	1.00%vol/2.00%vol
C <sub>3</sub> H <sub>8</sub> (IR)	0-1999ppm	T90≤20s	0.1ppm	1000ppm/1500ppm
CO	0-5.00%vol (0-1%vol)	T90≤60s	0.01%vol (0.001%vol)	1.00%vol/2.00%vol (customize)
H <sub>2</sub> S	0-5.00%vol	T90≤60s	0.01%Vol	1.00%vol/2.00%vol

#### product catalog



K60B

K60

K60-IV

K60-IV-P

**Fixed/Wall-Mounted Gas Detector (Controller)**



Online Gas Analyzer and CEMs



Breathing Safety Apparatus



Other product





Radon

BW gas detector

Gas sensor

## Company Information

### » About Us



### COMPANY APPEARANCE

#### THE OFFICE MEETING



#### WORKSHOP INSTRUMENT

- Nanjing Kelisaike Safety Equipment Co., Ltd. founded in 2004, Nanjing Kelisaike has three subsidiaries in Beijing, Xi'an and Xinjiang province, and over 30 domestic sales service centers.
- Standard products include the K60 series portable single gas detectors, K60-IV series multi gas detectors, K800 series fixed gas transmitters, K500 series wall-mounted gas detectors, K1000 series gas detector control panel units, KL99 series air breathing apparatuses, etc.
- Nanjing Kelisaike is also a factory with rich experience in OEM service, providing professional design and manufacturing of customized products.

## Exhibition

» Our Exhibition



Nanjing Kelisaike Safety Equipment Co., Ltd.



+86 25 8719 3262



manager@njklsk.cn



multi-gasdetection.com

Bldg 12, 2 Qingshuiting West Road, Nanjing, Jiangsu, China, 211102