



Long Lasting 4 Gas Portable Multi Gas Detector K60-IV With Pump Basic

Our Product Introduction

for more products please visit us on multi-gasdetection.com

Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: KELISAIKE
- Model Number: K60-IV
- Minimum Order Quantity: 1PC
- Price: \$350.00/pieces
- Packaging Details: Standard exporting package-Carton box for K60-IV Portable handheld multi gas detector 0-2000ppm h2s gas detector
- Stock: 1PC



Product Specification

- Warranty: 1 Year
- Type: Portable Gas Detector
- Customized Support: OEM
- Detection Gas: CO2, H2S, O2, LEL
- Working Voltage: 3.7V Rechargeable Lithium Battery
- Size: 133 L X 70 W X 36 H Mm
- Weight: Approx. 300g
- Alarm Type: Vibration Alarm With Light, sound
- Sensor Life: 2-5 Years
- Explosion-proof Grade: ExibIIC T3
- Certificate: CE
- Sampling: Pump
- IP Grade: IP67
- Highlight: Long Lasting Portable Multi Gas Detector, K60-IV Portable Multi Gas Detector,



More Images



Detecting Gas:

H2S, CO, H2, O2
PH3, NO, O3, CH4
SO2, CH2O, NO2, CL2
NH3, HCN, C3H8, CLO2 etc.



Product Description

Basic MULTIGAS + Pump Analyzer 4 Gas Monitor

Product Description

The K60-IV and K60-V series are compact full-featured gas detectors for detecting up to four and five types of gases respectively, typically oxygen, combustible gas, hydrogen sulfide, carbon monoxide and VOCs (K60-V). The key features include an easy-to-operate design, a water-resistant case and high sensitivity sensors.

SPECIFICATIONS FOR 25 TON CRAWLER EXCAVATOR

Dimension	133 L x 70 W x 36 H mm	Weight	Approx. 300 g
Sampling	Pump, diffusion	Working Temperature	-10°C ~ +44°C
Relative Humidity	15% ~ 90% RH (non-condensing)	Display	LCD display
Sensor Service time	One year for combustible gas sensors; two years for oxygen sensors, toxic gas sensors and PID sensors.		
Power	3.7 V rechargeable lithium battery, continuously work for over 10 hours (equipped with charger)		
Alarm Mode	Alarm Mode	Explosion-proof Grade	Ex ib IIC T3





Main Features

- 1)Lightweight (less than 300 g) with compact design, easy to operate
- 2)Excellent built-in vibration alarm, ideal for environments with high ambient noises
- 3)90 dB audible vibration alarm
- 4)Sturdy, protective, concussion-proof shockproof design for normal working in harsh environments
- 5)Easy access to pump, sensors, filter and battery compartment without exposing electronic components to potential damage
- 6)The rechargeable lithium battery ensures an over 10 hours continuously operation (equipped with a recharger)
- 7)Intuitive simple-to-operate buttons
- 8)User interface with a built-in pump
- 9)2+2 digits LCD display showing gas concentration and corresponding gas types in real time.
- 10) Full-featured self-test for sensors, lithium battery, circuit integrity and acousto-optic vibration alarm function.
- 11) Accessories: an operator manual, a calibration hose, a recharger and conversion plug.

Certifications





Detailed Images



Sensors

Brand: CITY, Alphasense, Dynamant

Original: UK

Brand: Honeywell

Original: US

UK sensors, US sensors, Japanese and German Sensors, ensuring high stability & sensitivity.

Features include:

1. Alarm check, bump check, fresh air zero, and calibration made easy;
2. Easily replaceable, commercially available battery;
3. IP 67 ingress protection: Water and Dust resistant



DCS system

Compatible with DCS (Distributed Control System), Mobile phone monitoring data

The monitoring record can be stored and uploaded to PC.

Ultra-Strong battery

3.7V rechargeable lithium battery (equipped with a charger) for over 10 hours continuous operation.

CE/ATEX


CE/ATEX approved,gas detectors are approved under the ATEX directive.

ODM/OBM/OEM service

with 14 years experience,specializing in gas detectors.



Our Service



Pre-Sales Service

- * Inquiry and consulting support.
- * Sample testing support.
- * View our Factory.

After-Sales Service

- * Training how to instal the equipment, training how to use the equipment.
- * Engineers available to service machinery overseas.

Packing & Delivery



Packaging

Size	190 (L) * 140 (W) * 110(D)
Weight	120G
Packaging Details	The normal package is carton box with pe film for packing or pack it according to customers special request.

Related Products



Products Name with link

91.8% Response Rate

Products Name with link

91.8% Response Rate



Products Name with link

91.8% Response Rate



Nanjing Kelisaike Safety Equipment Co., Ltd.



+86 25 8719 3262



manager@njklsk.cn



multi-gasdetection.com

Bldg 12, 2 Qingshuiting West Road, Nanjing, Jiangsu, China, 211102