



## 12V 3400mAh Battery Powered Air Respirator 145L/Min Output With Full Face Mask

### Our Product Introduction

for more products please visit us on [multi-gasdetection.com](http://multi-gasdetection.com)

#### Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: KELISAIKE, KELISAIKE
- Model Number: KL99-PAPR
- Minimum Order Quantity: 1PC
- Price: \$336.00/sets 1-9 sets
- Packaging Details: 1. PAPR Portable Powered Air Purifying Respirator  
2. One safety carton box  
3. One box in carton, carton size: 60\*45\*20cm
- Stock: 1PC



#### Product Specification

- Function: Air Breathing Apparatus PAPR
- Battery: 12V/3400mAh Chargeable Li-ion Battery
- Charging Cycle Times: 200 Times
- Working Hours At Full Power: >4 Hours
- Air Output Gear: 145L/min
- Acoustic Sound Level: <50dB
- Weight: <850g
- Alarm: Automatic Detection And Warning Of Low Voltage
- Highlight: 3400mAh Battery Powered Air Respirator, 12V Battery Powered Air Respirator, 12V Battery Powered Respirator



#### More Images



### Product Description

# Factory Full Face Gas Mask Chemical Respirator Dust Mask

#### Product Application

The KL99-PAPR is a battery-powered fan that together with a filter and an approved head top, is included in the fan-assisted respiratory protective device systems. This applies particularly to work that is hard, warm or of long duration. The human interface may consist of a hood, face shield, half mask or full face mask. The fan is equipped with a filter, and the filtered air is fed through a hose to the human interface. The pressure then generated prevents surrounding pollutants from penetrating into the mask. Power blower unit provides filtered air for the widest range of industrial applications as diverse as industrial welding, agriculture and waste disposal.



#### Instruction

- **Starting up**

Long press the power button 3s to boot, enter the low-end working state

- **Power off**

Press the power button for 3 consecutive times to turn off, stop working, and all indicator lights are off

- **Indicator light**

There are 4 indicator lights in total, 3 of which are white and green indicating the power level

- **Electric quantity**

When the battery is fully charged, the three-digit indicator light (white) is fully illuminated, and the indicator lights are extinguished one by one as the usage time increases. When the remaining 1 white light flashes, please pay attention to charging.



- **Battery charging**

When charging, the first white light flashes, the first grid is long after 1 grid is filled, the second grid white light is flashing, and so on, and finally the three grid white lights are on, indicating that the battery is fully charged.



### Optional Communication Mask System

This product is used as an auxiliary part of communication with the mask. This product has a unique design, which can effectively amplify the voice of the person wearing the mask, keep the communication smooth, and ensure the clear and sonorous sound quality. At the same time, it can also be used in conjunction with the intelligent digital electronic pressure gauge to display the information of the remaining amount of gas in the cylinder. The overall design of the product is exquisite, and the mask is easy to install and operate.



## Technical Parameter

Battery	12V/3400mAh chargeable Li-ion Battery
Working hours at full power	>4 hours
Charging Cycle Times	>200 times
Charging Cycle Times	>200 times
Air output gear	145L/min
Acoustic sound level	<50dB
Size	185(length) x 162(width) x 101(height)
Weight	<850g
Cartridge or Filter Include	With Three Replaceable HEPA Filters
Green LED power indicator	
Fast lock and unlock structure	
Automatic detection and warning of low voltage	
Normal use after 7J energy shock	
Heat-resistant and cold-resistant	
It can be normally used after being stored under the concentration of 5000ppm hydrogen tetroxide steam for five hours	

## Company Information

### » About Us



COMPANY  
APPEARANCE

THE OFFICE  
MEETING



WORKSHOP  
INSTRUMENT

- Nanjing Kelisaike Safety Equipment Co., Ltd. founded in 2004, Nanjing Kelisaike has three subsidiaries in Beijing, Xi'an and Xinjiang province, and over 30 domestic sales service centers.
- Standard products include the K60 series portable single gas detectors, K60-IV series multi gas detectors, K800 series fixed gas transmitters, K500 series wall-mounted gas detectors, K1000 series gas detector control panel units, KL99 series air breathing apparatuses, etc.
- Nanjing Kelisaike is also a factory with rich experience in OEM service, providing professional design and manufacturing of customized products.

## Certifications



## Exhibition

### » Our Exhibition



## FAQ

**Q1: Are you a trading company or manufacturer ?**

**A1: We are manufacturer.**

**Q2: What about the payment method?**

**A2: T/T, Paypal, Western Union, L/C is available**

**Q3: Does your company accept customization?**

**A3: We do customizing service for customers.**

**Q4: What about the Shipment?**

**A4: We'll choose proper transportation mode based on the weight of goods, usually arrange shipment by air express such as DHL,FEDEX,TNT or UPS.**

**Q5: What about after-sale service?**

**A5: 12 months warranty for all kinds of products.**

## » CONTACT US



Scan the QR code and add me to WeChat

Hannah Yin

Add: No.9 Gaohu Road, Nanjing, 211100, China

Tel: +86 18856618421 (WhatsApp)

Fax: +86 025 86644689

E-mail: sally@njklsk.cn

Website: [www.njklsk.com](http://www.njklsk.com)



Nanjing Kelisaike Safety Equipment Co., Ltd.



+86 25 8719 3262



manager@njklsk.cn



[multi-gasdetection.com](http://multi-gasdetection.com)

Bldg 12, 2 Qingshuiting West Road, Nanjing, Jiangsu, China, 211102