



Industrial Emergency Breathing Apparatus Cart| Mobile SCBA with 90m Hose for Hazardous Environments

Our Product Introduction

Basic Information

- Minimum Order Quantity: 1PC
- Price: \$1500.00 - \$1700.00/sets
- Stock: 1PC
- Shipping Method: LCL, AIR, FCL, Express
- Description: Firefighting air breathing cart with quick cylinder change, stable brake, and low-pressure alarm for rescue
- Payment Terms: T/T



Product Specification

- Item: Wheeled Breathing Apparatus
- Cylinder Material: Carbon Fiber Composites
- Volume Of Cylinder: 6.8 L Each
- Gas: Compressed Air
- Working Pressure: 30 MPa
- Alarm Pressure: 5.5 ± 0.5 MPa
- Input Pressure: ≤ 30 Mpa
- Output Pressure: Around 0.7Mpa
- Packing: Wooden Package
- Length: Standard 50 M, Not More Than 90 M
- Port: FOB Nanjing / FOB Shanghai
- Highlight: Industrial emergency breathing apparatus cart, Mobile SCBA with 90m hose, SCBA for hazardous environments



More Images



Our Product Introduction

Product Description

Industrial Emergency Breathing Apparatus Cart| Mobile SCBA with 90m Hose for Hazardous Environments



for more products please visit us on multi-gasdetection.com



>>>Product Description

Movable long-tube positive pressure air breathing apparatus is a kind of safe and reliable breathing protection equipment that is convenient to maintain and can be used for long time. This model of breathing equipment can replace any air cylinder without affecting its use and able to work continuously.

As the breathing equipment has tight structure, easy to operate, portable structure (convenient cart), operators don't carry heavy items such as back-up and air cylinder etc. It has such features as light, convenient to move, especially suitable to work at narrow places such as long time maintaining, inspection, clearing up, painting and smelting work at such places with thick smoke, poisonous gas or anoxia inside oil tank or engine room. Usually, it's used for occasions as petrochemical industry, aerospace, underground coal mining, nucleus plant, chemical plant, painting industry, metallurgical industry, fire fighting, underground pipeline and sewage and gas pipeline etc.

Configuration:

- Two-wheeled, poly-coated steel cart, two sets of double-cylinder straps, air-line hose rack, and adjustable pull handle
- I Accept 2 OR 4 x 60-minute, carbon-wrapped cylinder, supplying air for 2 users at the same time, ensure long time operation.
- I The cylinder can be replaced timely, which will not affect work and can effectively save time.
- I Cylinder straps to secure two cylinders to the unit
- I Breathing air cylinder pressure gauge with leading tube length 40m, 2 branch ducts, 10m length of each branch duct.
- I Mv catheter can be extended to 90m according to users' demand, the air will be supplied to users smoothly and comfortably.
- I Flexible connection is adopted for the connection between high-pressure hoses, so as to avoid accidents and effectively prevent the damage of joints caused by collision or friction.
- I The Breathing air pressure regulator with large-flow output can ensure sufficient respiratory flow.
- I High-pressure isolation valve and a toggle switch allows user to switch between common or isolated air sources
- I Unique stainless steel footbrake that can stop the device at the ground with the gradient of 30°.

>>>Key Feature

- Unique brake device, stable and reliable to operate.
- I Used in a narrow and confined space or serious pollution or oxygen-deficient environment.
- I Supplying air for 2 or 4 users meantime
- I Air flow supply be changed timely, no affecting the normal operation, time saved
- I Working radius is up to 90m at most
- I The trolley body is made of SUS304 stainless steel.
- I Quick replacement cylinders individually, non-effect on the gas supply.

>>>Assembly

- I Technical Rescue Cart equipped with Quick Disconnects, Breathing air low-pressure alarm bell, Auxiliary low-pressure whistle, Breathing air cylinder pressure gauge, Tool air pressure gauge
- I Breathing air pressure regulator
- I Tool air high-pressure regulator

- I Respiratory outlet connections x 2 Tool fittings
- I Cylinder straps to secure two cylinders to the unit
- I Additional high-pressure inlet port allows connection to outside air source for extended use applications
- I High-pressure isolation valve and a toggle switch allows user to switch between common or isolated air sources
- I Operable via compressed air cylinder air or mobile air truck
- I Connections compatible with low-pressure SAR supply hose

>>>Technology Specification

Performance Index		4-cylinder	2-cylinder
Gas Cylinder	Material	carbon fiber composites	
	Volume of air cylinder(L)	6.8L	
	Working pressure(Mpa)	30Mpa	
	Cylinder Quantity	4	2
Decompression Valve	Input pressure	≤30Mpa	
	Output pressure	around 0.7Mpa	
	Maximum output flow	≥1000L/min	
Safety Valve	Opening pressure	1.1~1.7Mpa	
Alarm	Alarm pressure	5.5±0.5Mpa	
Regulator	Max. dynamic inhalation resistance	500Pa	
Medium Pressure Hose	Length	standard configuration:50m;≤90m at most	
Packing Measurement	External Dimension (L*W*H)	900*10000*520(mm)	900*970*520(mm)
	Weight	81.2kgs	71.5kgs

Our Services:

1. For all our products, we offer a 1-year warranty and life-long maintenance.
2. All inquiries will be replied to in 24 hours.
3. We will provide technical support; our engineers will help to solve the problems you met.
4. We can provide OEM and ODM services.
5. Our factory is located in Nanjing city, welcome to visit our factory.
6. All products will be fully checked and well packed before shipment, and a qualification certificate will be provided.

>>>Why choose KELISAIKE?

1. Mutual benefit: We have our own factory. So compared with other competitors, the price will be more favorable in the same quality.
2. Professional engineers: We have 3 engineers who have experience of more than 10 years and more than 5 engineer assistants working on the gas detection line, with Hi-Tech equipment. We offer more accurate and stable products.
3. Customization: We have a strong R&D team that can custom products at your request.
4. Free OEM service : (a) Silk-printing your Logo(≥100PCS). (b) Design your color box(≥500PCS).
5. Mix order: We accept mix orders, different models and small quantity orders.
6. After service:(a) 1 Year warranty. (b) If you found any inferior-quality products from us, we will send new ones to replace for free in your next order after confirmed.

FAQ:

Q: Are you a manufacturer?

A: Sure. We are a professional safety equipment manufacturer and have experience of producing and marketing over 12 years in this field.

Q: Are you provide customization?

A: Of course. It includes gas type, gas detection range, gas alarm point, etc. Please contact us about the detailed specifications.

Q: Could I order one piece sample for the quality test? And do you charge for the samples?

A: Sure. We recommend checking the sample before ordering.

According to our company policy, we just charge the samples based on the EXW price.

Q: If I order a big quantity, what's the good price?

A: Please send the details inquiry to us, such as the Item Number, Quantity for each item, Quality request, Logo, Payment Terms, Transport method, Discharge place, etc. We will make the accurate quotation to you as soon as possible.

Q: How about the delivery time?

A: Samples will be prepared within 15 Days after 100% T/T in advance payment. QTY order will be delivered in 30 days.

Q: What kind of payments does KELISAIKE support?

A: T/T, L/C, Western Union, Cash all are accepted.

Q: What's the MOQ?

A: Generally speaking, the MOQ is 5PCS, but we can also provide you samples for quality inspection.

ABOUT US

Nanjing KELISAIKE company is one of the largest safety equipment manufactures, possessing the most complete production range and specifications in the safety equipment industry of mainland China. Nanjing KELISAIKE was founded in 2004, including three subsidiaries in Beijing, Xi'an and Xinjiang, and more than 30 domestic sales service centers, with total registered capital CNY 10.16 million. Standard products and services cover the portable gas detector, fixed gas transmitter, wall-mounted gas detector, gas detector control unit, air breathing apparatus, online gas emission monitoring systems etc.



THE EXHIBITION

We often participate in exhibitions at home and abroad, harvest a lot of friends, and have been confirmed by many partners.



Nanjing Kelisaike Safety Equipment Co., Ltd.

 +86 25 8719 3262

 manager@njklsk.com

 multi-gasdetection.com

Bldg 12, 2 Qingshuiting West Road, Nanjing, Jiangsu, China, 211102