

## New Papr 2026 Auto Powered Air Purifying Respirator Papr

Our Product Introduction

for more products please visit us on [multi-gasdetection.com](http://multi-gasdetection.com)

### Basic Information

- Place of Origin: Nanjing, China
- Brand Name: KELISAIKE
- Certification: CE
- Model Number: Per the description
- Minimum Order Quantity: 1
- Price: US\$270.00
- Stock: 1PC
- Shipping Method: LCL, AIR, FCL, Express
- Payment Terms: T/T, Western Union, Paypal



### Product Specification

- Function: Air Breathing Apparatus Papr
- Certification: CE, ISO
- Customization: Available | Customized Request
- Battery: 12V/3400mAh Chargeable Li-ion Battery
- Working Hours At Full Power: >4 Hours
- Air Output Gear: 145L/Min
- Specification: 60\*45\*20
- Weight: <850g
- Alarm: Automatic Detection And Warning O
- Material: Kevlar Or Nomex
- Origin: Nanjing, China
- HS Code: 90200000
- Highlight: **PAPR 2026 auto respirator, Powered air purifying respirator with warranty, Auto PAPR respirator for safety**



### More Images



## New Papr 2026 Auto Powered Air Purifying Respirator Papr



The KL99-PAPR is a battery-powered fan that together with a filter and an approved head top, is included in the fan-assisted respiratory protective device systems. This applies particularly to work that is hard, warm or of long duration. The human interface may consist of a hood, face shield, half mask or full face mask. The fan is equipped with a filter, and the filtered air is fed through a hose to the human interface. The pressure then generated prevents surrounding pollutants from penetrating into the mask. Power blower unit provides filtered air for the widest range of industrial applications as diverse as industrial welding, agriculture and waste disposal.

### Introduction:

- **Starting up**

Long press the power button 3s to boot, enter the low-end working state

- **Power off**

Press the power button for 3 consecutive times to turn off, stop working, and all indicator lights are off

- **Indicator light**

There are 4 indicator lights in total, 3 of which are white and green indicating the power level

- **Electric quantity**

When the battery is fully charged, the three-digit indicator light (white) is fully illuminated, and the indicator lights are extinguished one by one as the usage time increases. When the remaining 1 white light flashes, please pay attention to charging.


- **Battery charging**

When charging, the first white light flashes, the first grid is long after 1 grid is filled, the second grid white light is flashing, and so on, and finally the three grid white lights are on, indicating that the battery is fully charged.



### Optional Communication Mask System:

This product is used as an auxiliary part of communication with the mask. This product has a unique design, which can effectively amplify the voice of the person wearing the mask, keep the communication smooth, and ensure the clear and sonorous sound quality . At the same time, it can also be used in conjunction with the intelligent digital electronic pressure gauge to display the information of the remaining amount of gas in the cylinder. The overall design of the product is exquisite, and the mask is easy to install and operate.



### Technical Parameter:

|                             |                                       |
|-----------------------------|---------------------------------------|
| Battery                     | 12V/3400mAh chargeable Li-ion Battery |
| Working hours at full power | >4 hours                              |

|                                                                                                                       |                                        |
|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Charging Cycle Times                                                                                                  | >200 times                             |
| Charging Cycle Times                                                                                                  | >200 times                             |
| Air output gear                                                                                                       | 145L/min                               |
| Acoustic sound level                                                                                                  | <50dB                                  |
| Size                                                                                                                  | 185(length) x 162(width) x 101(height) |
| Weight                                                                                                                | <850g                                  |
| Filter                                                                                                                | With three replaceable filters         |
| Green LED power indicator                                                                                             |                                        |
| Fast lock and unlock structure                                                                                        |                                        |
| Automatic detection and warning of low voltage                                                                        |                                        |
| Normal use after 7J energy shock                                                                                      |                                        |
| Heat-resistant and cold-resistant                                                                                     |                                        |
| It can be normally used after being stored under the concentration of 5000ppm hydrogen tetroxide steam for five hours |                                        |

## Company Information:

### ABOUT US

Nanjing KELISAIKE company is one of the largest safety equipment manufactures, possessing the most complete production range and specifications in the safety equipment industry of mainland China. Nanjing KELISAIKE was founded in 2004, including three subsidiaries in Beijing, Xi'an and Xinjiang, and more than 30 domestic sales service centers, with total registered capital CNY 10.16 million. Standard products and services cover the portable gas detector, fixed gas transmitter, wall-mounted gas detector, gas detector control unit, air breathing apparatus, online gas emission monitoring systems etc.

### >>> Our Services

1. For all our customers, our products have 1 year warranty, and life-long maintenance.
2. All inquiries will be replied in 24 hours.
3. Providing technical support, professional engineers are specialized in dealing with gas monitoring problems you met.
4. OEM and ODM service are welcome.
5. KELISAIKE plant is located in Nanjing, only 1 hour by high speed train from Shanghai. Welcome to visit the factory.
6. All products are well tested and packed before shipment; the certificate of inspection will be provided.

### >>> Why choose KELISAIKE:

1. Mutual benefit : We are a factory. The price is much more competitive than others in the same quality.
2. Professional engineers: With 20+ years history, KELISAIKE has a professional engineering team: 4 engineers who have more than 20 years' experience and over 5 engineer assistants in gas detection line, with Hi-Tech manufacturing equipments, we make more accurate and stable products.
3. Customize : We have strong R&D team, the custom product as your request are available.

4. Free OEM service :(a) Silk-printing your Logo( $\geq 100$ PCS). (b) Design your color box( $\geq 500$ PCS).
5. Mix order : We accept mix order, different model and small quantity order.
6. After service: (a) 1 Year warranty. (b) If there's any inferior-quality products are found, new ones could be sent to replace at freecost in the next order after confirmation.

## FAQ:

### 1.How about the Delivery time?

Samples will be prepared within 5 Days after 100% T/T in advance payment. QTY order will be delivered in 20days.

### 2.What kind of payments does jenor support?

T/T, L/C, Western Union, Paypal & Cash are accepted.

### 3.Do you charge for the samples?

According to our company policy,we just charge the samples based on EXW price.and we will return the samples fee during the next qty order.

### 3.Can you produce aocording to customers' design?

Suce, we are professional manufacturer and OEM services is welcome!



**Nanjing Kelisaike Safety Equipment Co., Ltd.**



+86 25 8719 3262



manager@njklsk.cn



multi-gasdetection.com

Bldg 12, 2 Qingshuiting West Road, Nanjing, Jiangsu, China, 211102